

SOCAY®

100V Maximum DC Blocking Voltage SOCAY Schottky Barrier Rectifiers S110A

Basic Information

- Place of Origin:
- Brand Name: SOCAY
- Certification:
- Model Number: SS110A
- Minimum Order 5000PCS/REEL
 Quantity:
- Packaging Details: DO-214AC(SMA)

Shenzhen, China

REACH, RoHS, ISO

Product Specification

- Maximum RMS Voltage: 70V
- Peak Forward Surge 40A
 Current:
- Maximum Repetitive 100V
 Peak Reverse Voltage:
- Storage Temperature -65 To +125 Range:

1A

- Average Rectified
 Current At TA=75 :
- Operating Junction -65 To +125 Temperature Range:
- Maximum DC Blocking 100V
 Voltage:

.

Package: DO-214AC(SMA)

Product Description:

One of the standout features of these Schottky Barrier Rectifiers is the average rectified current at TA=75, which is 1A. This makes them ideal for use in power supplies, battery chargers, and other high current applications. The operating junction temperature range of -65 to +125 ensures that these diodes can operate in even the harshest of environments.

These Schottky Barrier Rectifiers are designed to offer superior performance and reliability. They are manufactured using high quality materials and are subjected to rigorous testing to ensure that they meet our high standards for quality and performance. Whether you are working on a new project or upgrading an existing circuit, these diodes are sure to exceed your expectations.

Features:

Product Name: Schottky Barrier Diode Type: Electrostatic Diode Mounting Type: Surface mounted Diode Maximum DC Blocking Voltage: 100V Average Rectified Current at TA=75 : 1A Storage Temperature Range: -65 To +125 Maximum Repetitive Peak Reverse Voltage: 20V Maximum RMS Voltage: 70V Usage: Low Voltage Rectifier Diode

Technical Parameters:

Electronic Component Diode	
Operating Junction Temperature Range	-65 To +125
Peak forward Surge Current	40A
Maximum RMS Voltage	70V
Maximum DC Blocking Voltage	100V
Storage Temperature Range	-65 To +125
Package	DO-214AC(SMA)
Average Rectified Current at TA=75	1A
Maximum Repetitive Peak Reverse Voltage	100V
Electrostatic Diode	
Diode Triode Transistor	

Applications:

One of the application scenarios for the SS110A is in electronic circuits that require a low forward voltage drop. This is because the Schottky barrier diode has a low voltage drop when conducting current in the forward direction. This makes it ideal for use in rectification circuits, voltage clamping circuits, and freewheeling diodes.

The SS110A diode is also useful in scenarios that involve high-frequency switching. This is because of its fast switching speed and low reverse recovery time. It is used in power supplies, DC-DC converters, and other applications that require high-frequency switching. The SS110A is also useful in scenarios that require protection against electrostatic discharge (ESD). It can be used in circuits that protect sensitive electronic components from ESD damage. This makes it a suitable choice for use in portable electronic devices, such as smartphones, tablets, and laptops.

The SS110A Schottky Barrier Diode has a maximum repetitive peak reverse voltage of 100V, a maximum RMS voltage of 70V, and a maximum DC blocking voltage of 100V. It has an average rectified current of 1A at TA=75 and a peak forward surge current of 40A. The diode is available in packaging details of DO-214AC (SMA), and the minimum order quantity is 5000PCS/REEL.

Customization:

Product Customization Services for the Schottky Barrier Diode: Brand Name: SOCAY Model Number: SS110A Place of Origin: Shenzhen, China Certification: REACH, RoHS, ISO Minimum Order Quantity: 5000PCS/REEL Packaging Details: DO-214AC(SMA) Package: DO-214AC(SMA) Operating Junction Temperature Range: -65 To +125 Storage Temperature Range: -65 To +125 Peak forward Surge Current: 40A <u>Maximum DC Blocking Voltage: 100V</u> This Schottky Barrier Diode is a high forward surge current semiconductor, commonly used as an electrostatic diode.



- Q1: What is the brand name of the Schottky Barrier Diode?
- A1: The brand name of the Schottky Barrier Diode is SOCAY. **Q2: What is the model number of the Schottky Barrier Diode?**
- A2: The model number of the Schottky Barrier Diode is SS110A.
- Q3: Where is the Schottky Barrier Diode manufactured?
- A3: The Schottky Barrier Diode is manufactured in Shenzhen, China.
- Q4: What certifications does the Schottky Barrier Diode have?
- A4: The Schottky Barrier Diode has REACH, RoHS, and ISO certifications.
- Q5: What is the minimum order quantity for the Schottky Barrier Diode?
- A5: The minimum order quantity for the Schottky Barrier Diode is 5000PCS/REEL and it is packaged in DO-214AC(SMA).







Socay [®] Shenzhen Socay Electronics Co., Ltd.				
Q	+8618126201429	Sylvia@soca	ay.com 📀	socaydiode.com
4/F, Block C, HeHe	0 0	chnology Park, 19 M GuangDong Provinc		ongHua District, Shenzhen City,